

Flexible paintable skirting 40x14 mm & non-flexible paintable version




Product description

A nice finish for round pillars or curved walls? No problem with this paintable flexible skirting. It is made of flexible yet solid and qualitative foam and available in the length that you need (to be cut at the desired length by the retailer).

Note that you can also opt for a non-flexible version to nicely finish the other walls in your room with the same skirting style.

Product specifications

(1) Quick-Step® flexible paintable skirting QSFLEXSKRPV700



Colour white. Easy to install, easy to paint (see below).
Composed of 2 material types: thermoplastic soft-PVC at the front, body thermoplastic PVC-based foam.
Water-resistant so universally applicable.

Minimum inner radius 50 mm, minimum outside radius 150 mm.

Dimensions 1 PC: 40x14x7000 mm

The skirting is delivered on a roll of 7 m, individually packed in a box, and can be cut at the desired length by the retailer with a cutter knife.

(2) Quick-Step® non-flexible paintable skirting 40x14 QSPSKR4PAINTMD240

Dimensions 1 PC: 40x14x2400 mm

MDF skirting board covered with white paintable foil.

This skirting is not water-resistant



Instructions for use

(1) Quick-Step® FLEXIBLE paintable skirting QSFLEXSRPV700



- You can cut the flexible skirting with a cutter knife at the desired length.
- Glue:
 - o **Attention: this flexible skirting CANNOT be glued with the Quick-Step® One4All Glue.**
 - o Use **contact glue of rubber-based construction glue**. Follow the instructions of the glue manufacturer.
 - o Make sure the surface is clean and free of dust before gluing.
- Paint:
 - o Use a primer first (universal wall primer, **no PVC primer!**)
 - o Paint with acrylic wall paint or acrylic lacquer (**no latex-based paint!**).

(2) Quick-Step® NON-flexible paintable skirting board 40x14 QSPSKR4PAINTMD240

- Glue:
 - o Use the **Quick-Step® One4All Glue**.
 - o Make sure the surface is clean and free of dust before gluing.

- Paint:
 - This skirting board can be painted on immediately, with most paints.
TIP: Always test the bonding of the paint first. If necessary, apply a primer or sand down the surface first.

